



U.S. Door
& Building Components

Interior Hallways Systems



The Industry Roll-Model

We are the industry leader because our focus is always on our customers. Our unmatched customer service and attention mean we're here from start-to-finish, making sure your job is built and delivered just right. Our precise manufacturing systems ensure products are priced competitively, and just as important, they install quickly and easily in the field. Finally, we're flexible and willing to work with you to customize any design to your specific building needs and applications.

Corrugated Roll-Up Doors

Our Corrugated Roll-Up Doors are built for maximum strength and durability. Available in 22 standard colors and optional custom colors, all of our models are designed for ease of installation and include: adjustable tension devices, bulb-type bottom weather seal, bolt-together hardware systems, steel radial bearings and a vinyl contour wear strip for quiet and smooth operation.

Swing Doors

Two styles available: pre-painted corrugated panels to match the look of the roll-up door; or gloss white smooth flush to conform to most design requirements.

Swing doors are fully encased in galvanized frame with corrugated door.

Solid 3-point hinges with bolt & nut attachment ensure doors work consistently.

Adjustable vertical alignment is standard on all swing doors, because not all floors are level.

Piers

Corrugated or smooth flush; all Piers are 2" in depth and assembled with 20-gauge white components. All Piers are secured four ways to give them uncompromised strength: at the floor, mid-line, at the top of the door opening and the top of the hallway.


Corrugated Piers: perfect for conversions or new construction, offer flexibility for designs that require working around existing building columns or obstructions.

Swing Door Piers: includes precise factory-punched hinge locator holes, and lock holes that ensure a square fit and eliminate installation errors in the field.

Full height hemmed edge creates a positive stop edge for the entire height of the swing door slab.

Swing Door Piers conceal the view of the contents in the storage unit for added security.

a) Corrugated Roll-Up Doors–The combination of strong design and long-lasting durability make these doors the industry gold standard, made in 22 colors and optional custom colors to match your décor. b,c) Swing Door Piers feature #20-gauge components with full height stops to limit visibility, while the bolted attachment braces allow for vertical alignment. d) Corrugated Piers are the perfect choice for conversions or metric applications, offering great design flexibility.



Filler Panels

Flush, 20-gauge, gloss white filler panels provide a clean, smooth appearance. Corrugated filler panels, available in 22 standard colors, provide both resilient strength and a consistent look throughout the hallway.

Hallway Panels

Gloss white corrugated fixed wall panels with standard mid-line bracing for economy without sacrificing strength. Also available in an optional 20-gauge smooth finish.

Corners

Available in gloss white, galvanized, aluminum diamond plate (shown), or stainless steel.

3" x 3" gloss white angle standard on all hallway systems.

Optional corners include a 4" Chamfer and Radius.

Unit Security Walls (Divider Partition)

Made from corrugated acrylic-coated Galvalume® panels featuring a lock-seam design for maximum strength and heavy-duty protection.

All panels include channel-shaped mid-line bracing, keeping screw tips hidden and out of reach.

Design is flexible for easy reconfiguration, if later unit mix updates are required.

Unit Security Welded-Wire Mesh

Security mesh is required to protect renters' property. Many local building codes require mesh when sprinklers are installed for climate-controlled storage.

Wire Mesh: 2" x 2" galvanized welded-wire provides ultimate strength and out-of-sight protection.

Mesh is braced and secured on a 5' grid, providing maximum protection between units.

e) Corrugated Liner Panels feature maximum protection and safety while matching corrugated fixed wall panels. f) Unit Security Walls are the ultimate in strength and heavy-duty protection made from corrugated acrylic-coated Galvalume® panels with a lock-seam design. g) Filler Panels in a 20-gauge smooth finish delivers a clean, consistent look and enhances light reflectivity. h) 4" Chamfer Corners in aluminum diamond plate enhance overall look, while providing stronger protection to hallway corners and easier mobility. i) Welded-Wire Mesh above the unit adds an additional layer of security.



j.



k.



l.

Burglar Bars

Two styles available: galvanized or gloss white finish.

3" high-hat channels work to protect against unwarranted hallway or unit-to-unit access.

Installed horizontally above the hallway or divider partition above the units.

Industry standard 10" on-center spacing provided, with optional spacing available upon request.

Custom spacing and bar designs offered to fit specific requirements.

Locks

Standard Slide Lock is factory-mounted and designed to accept two padlocks providing for lock-out option.

Lock options: stainless steel, cylinder-prepared and cast zinc.

Soffit

Three hallway soffit designs provide maximum lighting exposure, while hiding unsightly HVAC equipment, water lines and conduits commonly located above hallways.

32" wide single-panel light soffit accepts surface-mounted lights and provides maximum air flow into the hallways.


36" three-piece light soffit, accepts either surface-mounted or optional recessed light fixtures.

Full soffit totally encloses the hallway and can include either surface-mounted or optional recessed light fixtures. Full soffit is commonly used in entry vestibules. This design is widely used where local building codes demand maximum smoke protection in the hallways.

Lockers

Lockers are used in many existing storage facilities that have under-utilized areas throughout their property; under stairwells; in large hallways or in unrented storage units. Converting these spaces to lockers will increase customer traffic and reach a broader clientele.

j) Customized Burglar Bars installed horizontally feature 6" high-hat channels that serve as an effective deterrent against unwarranted hallway or unit-to-unit access. k) Lockers and Relocatable Units can be created in under-utilized areas under stairwells, in hallways or unrented units with the expertise of US Door & Building Components. l) Soffit designs give hallways bright, professional lighting exposure while effectively hiding unsightly HVAC equipment, water lines and conduits.



U.S. Door & Building Components

Roll-Up Doors
EZ Access Wicket Doors
Mezzanines
Relocatable Buildings
Structural Building Components

1720 West Broadway Rd., Suite 104
Mesa, AZ 85202
TEL 480-961-0846
Fax 800-659-8886

10407 Rocket Blvd.
Orlando, FL 32824
TEL 407-859-6770
Fax 407-447-2923

Toll free: 1-877-877-8875
Toll free Fax 800 928-5276

*Visit our website at www.usdoor.com
or email us at info@usdoor.com*